# **AUTHOR INDEX**

Aikman, G.C.L. see Hilditch, R.W. Allan, P.M. see Meaburn, J. Allen, D. see Hough, J.H. Arnaud, K.A. see Thomas, P.A. Axon, D.J. see Whittle, M.

Babu G.S.D. see Shylaja, B.S.
Bailey, J. see Berriman, G.
Bailey, J. see Hough, J.H.
Bell, S.A. see Malcolm, G.J.
Berriman, G., Kenyon, S., Bailey, J. An infrared and visual study of the structure and variability of the cataclysmic binary V2051
Ophiuchi, 222, 871
Bhatt, H.C. Large dust grains in the dark cloud B5
222, 383
Birkinshaw, M. A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20, 222, 731 and on microfiche Bishop, I.S. see Stobie, R.S.

Blades, J.C. see Monk, A.S.
Boksenberg, A. see Caloi, V.
Boksenberg, A. see Snijders, M.A.J.
Boyle, C.B., Walker, I.W. Numerical simulation of
mass transfer in eccentric orbit binary systems,
222, 559

Brown, P.J.F. see Dufton, P.L.
Brown, P.J.F. see Lennon, D.J.
Browne, I.W.A., Fedey, R.A. Extended radio emission round core-dominated quasars—constraints on relativistic beaming models 222, 149
Browne, I.W.A. see Shone, D.L.
Burton, M.G. see Hough, J.H.

Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R., Cannon, R.D., Hill, P.W., Boksenberg, A. Optical and UV spectroscopy of blue horizontal branch stars in the globular cluster NGC 6752, 222, 55 Cannon, R.D. see Caloi, V. Carr, D.M. see Hilditch, R.W. Castellani, V. see Caloi, V. Catchpole, R. see Whitelock, P. Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B. Erratum: A sample of powerful radio sources for VLBI studies, 222, 895 Charles, P.A. see Corbet, R.H.D. Charles, P.A. see Mukai, K. Coles, P. The spatial correlations of Abell clusters, 222, 9p Connell, A.J. The origin of the Tharsis region of Mars, 222, 569

Mars, 222, 569
Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Menzies, J.W., Naylor, T., Smale, A.P. The orbital period of the optical/X-ray burster X1735 - 444 (V926 Sco), 222, 15p
Crawford, C.S. see Wood, J.

Cropper, M. Polarization observations of DQ Her stars and other cataclysmic variables, 222, 225 Cropper, M. Polarimetry of ST LMi (CW1103+254), 222, 853 Currie, M.J. see Lucey, J.R.

Danziger, J. see Caloi, V. de Kool, M. see Livio, M. del Olmo, A. see Perea, J. Dickens, R.J. see Lucey, J.R. Dufton, P.L., Brown, P.J.F., Lennon, D.J., Lynas-Gray, A.E. Non-LTE calculations of Alm line strengths in early-type stars, 222, 713 and on microfiche
Dufton, P.L. see Keenan, F.P. Dufton, P.L. see Lennon, D.J.

Fabian, A.C. see Thomas, P.A.
Feast, M. see Whitelock, P.
Few J.M.A., Madore, B.F. Ring galaxies – II.
Classification and statistics, 222, 673 and on
microfiche
Finn, L.S. g-modes of non-radially pulsating
relativistic stars: the slow-motion formalism,
222, 393
Flin, P., Godlowski, W. The orientation of
galaxies in the Local Supercluster, 222, 525
Forman, W. see Thomas, P.A.

Garden, R.P. see Hough, J.H. Gardner F.F. see Whiteoak, J.B. Gatley, I., Jones, T.J., Hyland, A.R., Wade, R., Geballe, T.R., Krisciunas, K. The spatial distribution and velocity field of the molecular hydrogen line emission from the centre of the Galaxy, 222, 299 Gatley, I. see Hough, J.H. Geballe, T.R. see Gatley, I. Gerhard, O.E. Stochastic stellar orbits in galaxies - II. Melnikov's method in n≥3 dimensions, 222, 287 Gieren, W.P. Cepheid radii and masses from the surface-brightness method, 222, 251 Gilmozzi, R. see Caloi, V. Giovannelli, F., Polcaro, V.F. A relationship between the X-ray luminosity and redshift of extragalactic objects, 222, 619 Godlowski, W. see Flin, P. Gondhalekar, P.M., O'Brien, P., Wilson, R. Ultraviolet spectra of quasars in the redshift interval 0.3 to 2.0, 222, 71 Goraya, P.S. Ultraviolet and infrared excess emission in Be stars, 222, 121 Gottwald, M., White, N.E., Stella, L. A search for X-ray periodicities from 4U 1700-37, 222,

21P

### Author index

Haniff, C.A. see Whittle, M. Harris, S. see Rowan-Robinson, M. Harrison, B.A. see Whittle, M. Hasegawa, T. see Hough, J.H. Hayashi, M. see Hough, J.H.

Herbst, E., Leung, C.M. Synthesis of complex molecules in dense interstellar clouds via gasphase chemistry: model update and sensitivity analysis, 222, 689 and on microfiche

Hibbert, A. see Keenan, F.P. Hilditch, R.W., Skillen, I., Carr, D.M., Aikman, G.C.L. The triple system DM Persei, 222, 167 Hill, P.W. see Caloi, V.

Hough, J.H., Axon, D.J., Burton, M.G., Gatley, I., Sato, S., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D. Infrared polarization in OMC-1 discovery of a molecular hydrogen reflection nebula, 222, 629

Howarth, I.D., Phillips, A.P. The ultraviolet spectrum and interstellar environment of HD 50896, 222, 809

Hyland, A.R. see Gatley, I.

Jones, C. see Thomas, P.A. Jones, P.B. Pair creation in radio pulsars: the transitions, 222, 577 Jones, T.J. see Gatley, I.

Kaifu, N. see Hough, J.H. Kaiser, N. Evolution and clustering of rich clusters, 222, 323

Keenan, F.P., Dufton, P.L., Hibbert, A., Murray, M.J. The variation of interstellar element abundances with hydrogen density, 222, 143

Kenyon, S. see Berriman, G. Kilkenny, D., Menzies, J.W. Four-colour observations of primary and secondary uvby

standards, 222, 373

King, A.R., Smith, M.D. The time-dependent collapse of a radiatively cooling corona,222,

King, A.R. see Watson, M.G. King, D.L. see Stobie, R.S. Krisciunas, K. see Gatley, I. Kumor-Obryk, B. see Zawiślak-Raczka, J.

Lago, M.T.V.T. see Sá, C. Laney, C.D., Stobie, R.S. Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds, 222, 449

Langmeier, A. see Sztajno, M. Leahy, J.P., Pooley, G.G., Riley, J.M. The polarization of classical double radio sources,

Lennon, D.J., Lynas-Gray, A.E., Brown, P.J.F., Dufton, P.L. Non-LTE calculations of siliconline strengths in B-type stars, 222, 719 and on microfiche

Lennon, D.J. see Dufton, P.L.

Leung, C.M. see Herbst, E. Lewin, W.H.G. see Sztajno, M. Livio, M., Soker, N., de Kool, M., Savonije, G.J. Accretion from an inhomogeneous medium -III. General case and observational consequences. 222, 235 Lock, T.D. see Rowan-Robinson, M.

Lucey, J.R. A more precise L-o distance indicator, 222, 417

Lucey, J.R., Currie, M.J., Dickens, R.J. The Centaurus cluster of galaxies - III. Its structure and the distribution of the different galaxy types, 222, 427

Lynas-Gray, A.E. see Dufton, P.L. Lynas-Gray, A.E. see Lennon, D.J.

McCaughrean, M.J. see Hough, J.H. McLean, I.S. see Hough, J.H. Madore B.F. see Few, J.M.A. Makishima, K. see Matsuoka, M. Malcolm, G.J., Bell, S.A. Evidence for pulsation in the hydrogen-deficient binary Upsilon

Sagittarii, 222, 543 Mallik, S.V. Expanding chromospheres of late G and K supergiants, 222, 307

Matsuoka, M., Takano, S., Makishima, K. Observation of an iron K X-ray line from SS433, 222, 605

Meaburn, J., Allan, P.M. Expanding shells in the filamentary edge of the young supernova remnant RCW 103, 222, 593

Menzies, J.W. see Corbet, R.H.D. Menzies, J.W. see Kilkenny, D. Meurs, E.J.A. see Whittle, M. Mitchell, R.M., Robinson, G. Grain size and geometrical effects in the Eta Carinae dust shell, 222, 347

Moles, M. see Perea, J. Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C. Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C. A search for QSOs in the fields of nearby galaxies - II. NGC 55, 253, 300 and 5364, 222, 787

Morimoto, M. see Hough, J.H. Morison, I. see Cawthorne, T.V. Mukai, K., Charles, P.A. Detection of the secondary star in three AM Her systems, 222, 1P Murray, M.J. see Keenan, F.P. Muxlow, T.W.B. see Cawthorne, T.V.

Nagata, T. see Hough, J.H. Nandy, K. see Rao, N.K. Naylor, T. see Corbet, R.H.D. Needham, G. see Rowan-Robinson, M. Negroponte, J. The cosmic infrared background spectrum, 222, 19 Netzer, H. see Snijders, M.A.J.

O'Brien, P. see Gondhalekar, P.M.

Pedlar, A. see Whittle, M. Penston, M.V. see Monk, A.S. Penston, M.V. see Sá, C.
Perea, J., Moles, M., del Olmo, A. Taxonomical
analysis of the Cancer cluster of galaxies,
222, 49
Perley, R.A. see Browne, I.W.A.
Pettini, M. see Monk, A.S.
Phillips, A.P. see Howarth, I.D.
Phillips, G.J. Three-dimensional numerical
simulations of collapsing isothermal magnetic
gas clouds – non-uniform initial fields, 222,
111
Pietsch, W. see Sztajno, M.
Polcaro, V.F. see Giovannelli, F.
Pooley G.G. see Leahy, J.P.

Rao, N.K., Nandy, K. IRA oervtions of R Cor Bor stars, 222, 357 Rees, M.J. Baryon concentration in string wakes at z≥200: implications for galaxy formation and largescale structure, 222, 27p Riley, J.M. see Leahy, J.P. Robinson, G. see Mitchell, R.M. Rowan-Robinson, M., Lock, T.D., Walker, D.W., Harris, S. Models for IRAS observations of circumstellar dust shells around late-type stars, 222, 273 Rowan-Robinson, M., Needham, G. The twodimensional covariance function for IRAS sources, 222, 611 Sá, C., Penston, M.V., Lago, M.T.V.T. Emissionline widths and stellar-wind flows in T Tauri stars, 222, 213 Sato, S. see Hough, J.H.

Savonije, G.J. see Livio, M. Scheuer, P.A.G. see Cawthorne, T.V. Shone, D.L., Browne, I.W.A. A remarkable jet in the quasar 0800+608, 222, 365 Shylaja, B.S., Babu, G.S.D. The variation of the 5200 feature in HD 34452, 222, 683 and on microfiche Skillen, I. see Hilditch, R.W. Smale, A.P. see Corbet, R.H.D. Smith, M.D. see King, A.R. Snijders, M.A.J., Netzer, H., Boksenberg, A. Detection of broad ultraviolet Fe II lines in the spectrum of NGC 1068, 222, 549 Soker, N. see Livio, M. Stella, L. see Gottwald, M. Stewart, G.C. see Watson, M.G. stars in the South Galactic Cap, 222, 473 Stobie, R.S. see Laney, C.D.

Sztajno, M., van Paradijs, J., Lewin, W.H.G., Langmeier, A., Trümper, J., Pietsch, W. X-ray bursts from GX 17+2: a new approach, 222, 499

Takano, S. see Matsuoka, M.

Tayler, R.J. Erratum: A further uncertainty in the mixing length theory of convection in the structure of late-type stars, 222, 223

Thomas, P.A., Fabian, A.C., Armaud, K.A., Forman, W., Jones, C. The prevalence of cooling flows in early-type galaxies, 222, 655

Thorstensen, J. R. see Corbet, R.H.D.

Trümper, J. see Sztajno, M.

Turolla, R., Zaninetti, L. Funnel stability and VLBI-jet luminosity, 222, 32

Unger, S.W. see Whittle, M.

van Paradijs, J. see Sztajno, M.

Wade, T.R. see Gatley, I. Walker, D.W. see Rowan-Robinson, M. Walker, I.W. see Boyle, C.B. Walther, D. see Hough, J.H. Ward, M.J. see Whittle, M. Warner, B. Accretion disc inclinations and absolute magnitudes of classical nova remnants, 222, 11 Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R. Doppler-shifted X-ray line emission from SS433, 222, 261 White, N.E. see Gottwald, M. Whitelock, P., Feast, M., Catchpole, R. JHKL observations of IRAS sources - III. The galactic bulge, 222, 1 Whiteoak, J.B., Gardner, F.F. Observations of HO masers in nearby galaxies, 222, 513 Whittle, M., Haniff, C.A., Ward, M.J., Meurs, E.J.A., Pedlar, A., Unger, S.W., Axon, D.J., Harrison, B.A. Extended [O III] emission associated with nuclear radio lobes in the Seyfert galaxy NGC 5929, 222, 189 Wilson, R. see Gondhalekar, P.M. Wood, J., Crawford, C.S. An estimate of the system parameters in the dwarf nova IP Peg, 222, 645

Zaninetti, L. see Turolla, R. Zawiślak-Raczka, J., Kumor-Obryk, B. A model of the evolution of flat-spectrum radio sources at 5 GHz, 222, 487

# SUBJECT INDEX

#### Abundances of the elements

The variation of interstellar element abundances with hydrogen density (Keenan, F.P., Dufton, P.L., Hibbert, A., Murray, M.J.), 222, 143

#### Accretion and accretion discs

Accretion disc inclinations and absolute magnitudes of classical nova remnants (Warner, B.), 222, 11 Funnel stability and VLBI-jet luminosity (Turolla, R., Zaninetti, L.), 222, 37

The time-dependent collapse of a radiatively cooling corona (King, A.R., Smith, M.D.), 222, 201

Accretion from an inhomogeneous medium – III. General case and observational consequences (Livio, M., Soker, N., de Kool, M., Savonije, G.J.), 222, 235

Doppler-shifted X-ray line emission from SS433 (Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R.), 222, 261

An estimate of the system parameters in the dwarf nova IP Peg (Wood, J., Crawford, C.S.), 222, 645

An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871

Detection of the secondary star in three AM Her systems (Mukai, K., Charles, P.A.), 222, 1P

#### BL Lac objects

A relationship between the X-ray luminosity and redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619

#### Celestial mechanics

Stochastic stellar orbits in galaxies – II. Melnikov's method in n 23 dimensions (Gerhard, O.E.), 222, 287

g-modes of non-radially pulsating relativistic stars: the slow-motion formalism (Finn, L.S.), 222, 393

### Cosmology

The cosmic infrared background spectrum (Negroponte, J.), 222, 19

Evolution and clustering of rich clusters (Kaiser, N.), 222, 323

A model of the evolution of flat-spectrum radio sources at 5 GHz (Zawiślak-Raczka, J., Kumor-Obryk, B.), 222, 487

A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20 (Birkinshaw, M.), 222, 731 and on microfiche The spatial correlations of Abell clusters (Coles,

P.), 222, 9p

Baryon concentration in string wakesat z≥200: implications for galaxy formation and large-scale structure (Rees, M.J.), 222, 27P

### Data reduction

The spatial correlations of Abell clusters (Coles, P.), 222, 9P

#### Distance scale

A more precise L-σ distance indicator (Lucey, J.R.), 222, 417

#### Galactic Centre

The spatial distribution and velocity field of the molecular hydrogen line emission from the centre of the Galaxy (Gatley, I., Jones, T.J., Hyland, A.R., Wade, R., Geballe, T.R., Krisciunas, K.), 222, 299

# Galactic structure and stellar dynamics

JHKL observations of IRAS sources – III. The galactic bulge (Whitelock, P., Feast, M., Catchpole, R.), 222, 1

Stochastic stellar orbits in galaxies – II.
Melnikov's method in n ≥ 3 dimensions (Gerhard, O.E.), 222, 287

#### Galaxies

A more precise L- $\sigma$  distance indicator (Lucey, J.R.), 222, 417

The Centaurus cluster of galaxies – III. Its structure and the distribution of the different galaxy types (Lucey, J.R., Currie, M.J., Dickens, R.J.), 222, 427

Observations of H<sub>2</sub>O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513

The orientation of galaxies in the Local Supercluster (Flin, P., Godlowski, W.), 222, 525

The two-dimensional covariance function for IRAS sources (Rowan-Robinson, M., Needham, G.), 222, 611

The prevalence of cooling flows in early-type galaxies (Thomas, P.A., Fabian, A.C., Arnaud, K.A., Forman, W., Jones, C.), 222, 655

Ring galaxies - II. Classification and statistics (Few, J.M.A., Madore, B.F.), 222, 673 and on microfiche

A search for QSOs in the fields of nearby galaxies – II. NGC 55,253,300 and 5364 (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), 222, 787

#### Galaxies - active

Funnel stability and VLBI-jet luminosity (Turolla, R., Zaninetti, L.), 222, 37

A model of the evolution of flat-spectrum radio sources at 5 GHz (Zawiślak-Raczka, J., Kumor-Obryk, B.), 222, 487

A relationship between the X-ray luminosity and redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619

A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20 (Birkinshaw, M.), 222, 731 and on microfiche The polarization of classical double radio sources

(Leahy, J.P., Pooley, G.G., Riley, J.M.), 222,

753

Erratum: A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), 222, 895

### Galaxies - formation of

Evolution and clustering of rich clusters (Kaiser, N.), 222, 323

Baryon concentration in string wakes at z≥200: implications for galaxy formation and large-scale structure (Rees, M.J.), 222, 27p

### Galaxies - nuclei of

Detection of broad ultraviolet Fe II lines in the spectrum of NGC 1068 (Snijders, M.A.J., Netzer, H., Boksenberg, A.), 222, 549

#### Galaxies - Seyfert

Extended [O III] emission associated with nuclear radio lobes in the Seyfert galaxy NGC 5929 (Whittle, M., Haniff, C.A., Ward, M.J., Meurs, E.J.A., Pedlar, A., Unger, S.W., Axon, D.J., Harrison, B.A.), 222, 189

Detection of broad ultraviolet Fe II lines in the spectrum of NGC 1068 (Snijders, M.A.J., Netzer, H., Boksenberg, A.), 222, 549

A relationship between the X-ray luminosity and redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619

### Galaxy clusters

Taxonomical analysis of the Cancer cluster of galaxies (Perea, J., Moles, M., del Olmo, A.), 222, 49

Evolution and clustering of rich clusters (Kaiser, N.), 222, 323

A more precise L-σ distance indicator (Lucey, J.R.), 222, 417

The Centaurus cluster of galaxies - III. Its structure and the distribution of the different galaxy types (Lucey, J.R., Currie, M.J., Dickens, R.J.), 222, 427

The orientation of galaxies in the Local Supercluster (Flin, P., Godlowski, W.), 222, 525

The two-dimensional covariance function for IRAS sources (Rowan-Robinson, M., Needham, G.), 222,

A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20 (Birkinshaw, M.), 222, 731 and on microfiche The spatial correlations of Abell clusters (Coles,

P.), 222, 9p

Baryon concentration in string wakes at z≥200: implications for galaxy formation and large-scale structure (Rees, M.J.), 222, 27p

# Gravitation and gravitational radiation

g-modes of non-radially pulsating relativistic stars: the slow-motion formalism (Finn, L.S.), 222, 393

### Infrared astronomy

JHKL observations of IRAS sources - III. The galactic bulge (Whitelock, P., Feast, M., Catchpole, R.), 222, 1

The cosmic infrared background spectrum (Negroponte, J.), 222, 19

Models for IRAS observations of circumstellar dust shells around late-type stars (Rowan-Robinson, M., Lock, T.D., Walker, D.W., Harris, S.), 222, 273

The spatial distribution and velocity field of the molecular hydrogen line emission from the centre of the Galaxy (Gatley, I., Jones, T.J., Hyland, A.R., Wade, R., Geballe, T.R., Krisciunas, K.), 222, 299

Grain size and geometrical effects in the Eta Carinae dust shell (Mitchell, R.M., Robinson, G.), 222,

IRAS observations of R Cor Bor stars (Rao, N.K., Nandy, K.), 222, 357

Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds (Laney, C.D., Stobie, R.S.), 222, 449

The two-dimensional covariance function for IRAS sources (Rowan-Robinson, M., Needham, G.), 222,

Infrared polarization in OMC-1 - discovery of a molecular hydrogen reflection nebula (Hough, J.H., Axon, D.J., Burton, M.G., Gatley, I., Sato, S., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D.), 222, 629

An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871

## Interstellar grains

Models for IRAS observations of circumstellar dust shells around late-type stars (Rowan-Robinson, M., Lock, T.D., Walker, D.W., Harris, S.), 222, 273

# Subject index

Grain size and geometrical effects in the Eta Carinae dust shell (Mitchell, R.M., Robinson, G.), 222, 347

IRAS observations of R Cor Bor stars (Rao, N.K., Nandy, K.), 222, 357

Large dust grains in the dark cloud B5 (Bhatt, H.C.), 222, 383

#### Interstellar medium

Three-dimensional numerical simulations of collapsing isothermal magnetic gas clouds – non-uniform initial fields (Phillips, G.J.), 222 111

The variation of interstellar element abundances with hydrogen density (Keenan, F.P., Dufton, P.L., Hibbert, A., Murray, M.J.), 222, 143

Extended [O III] emission associated with nuclear radio lobes in the Seyfert galaxy NGC 5929 (Whittle, M., Haniff, C.A., Ward, M.J., Meurs, E.J.A., Pedlar, A., Unger, S.W., Axon, D.J., Harrison, B.A.), 222, 189

The prevalence of cooling flows in early-type galaxies (Thomas, P.A., Fabian, A.C., Arnaud, K.A., Forman, W., Jones, C.), 222, 655

Synthesis of complex molecules in dense interstellar clouds via gas-phase chemistry: model update and sensitivity analysis (Herbst, E., Leung, C.M.), 222, 689 and on microfiche

A search for QSOs in the fields of nearby galaxies – II. NGC 55,253,300 and 5364 (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), 222, 787

The ultraviolet spectrum and interstellar environment of HD 50896 (Howarth, I.D., Phillips, A.P.), 222, 809

# Magellanic Clouds

Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds (Laney, C.D., Stobie, R.S.), 222, 449

Observations of H<sub>2</sub>O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513

#### Masers

Observations of H<sub>2</sub>O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513

#### Microwave background

The cosmic infrared background spectrum (Negroponte, J.), 222, 19

#### Molecules and molecular clouds

Three-dimensional numerical simulations of collapsing isothermal magnetic gas clouds – non-uniform initial fields (Phillips, G.J.), 222 111

The spatial distribution and velocity field of the molecular hydrogen line emission from the centre of the Galaxy (Gatley, I., Jones, T.J., Hyland, A.R., Wade, R., Geballe, T.R., Krisciunas, K.), 222, 299

Observations of H<sub>2</sub>O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513

Infrared polarization in OMC-1 – discovery of a molecular hydrogen reflection nebula (Hough, J.H., Axon, D.J., Burton, M.G., Gatley, I., Sato, S., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D.), 222, 629

Synthesis of complex molecules in dense interstellar clouds via gas-phase chemistry: model update and sensitivity analysis (Herbst, E., Leung, C.M.), 222, 689 and on microfiche

### Nebulae - reflection

Infrared polarization in OMC-1 – discovery of a molecular hydrogen reflection nebula (Hough, J.H., Axon, D.J., Burton, M.G., Gatley, I., Sato, S., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D.), 222, 629

### Neutron stars

Accretion from an inhomogeneous medium – III. General case and observational consequences (Livio, M., Soker, N., de Kool, M., Savonije, G.J.), 222, 235

g-modes of non-radially pulsating relativistic stars: the slow-motion formalism (Finn, L.S.), 222, 393

X-ray bursts from GX 17+2: a new approach (Sztajno, M., van Paradijs, J., Lewin, W.H.G., Langmeier, A., Trümper, J., Pietsch, W.), 222, 499

### Nova

Accretion disc inclinations and absolute magnitudes of classical nova remnants (Warner, B.), 222, 11 An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871

### Physical processes

Funnel stability and VLBI-jet luminosity (Turolla, R., Zaninetti, L.), 222, 37

Three-dimensional numerical simulations of collapsing isothermal magnetic gas clouds – non-uniform initial fields (Phillips, G.J.), 222 111

The time-dependent collapse of a radiatively cooling corona (King, A.R., Smith, M.D.), 222, 201

Erratum: A further uncertainty in the mixing length theory of convection in the structure of late-type stars (Tayler, R.J.), 222, 223

Accretion from an inhomogeneous medium – III. General case and observational consequences (Livio, M., Soker, N., de Kool, M., Savonije, G.J.), 222, 235

Numerical simulation of mass transfer in eccentric orbit binary systems (Boyle, C.B., Walker, I.W.), 222, 559

Pair creation in radio pulsars: the return-current mode changes and normal-null transitions (Jones, P.B.), 222, 577

Synthesis of complex molecules in dense interstellar clouds via gas-phase chemistry: model update and sensitivity analysis (Herbst, E., Leung, C.M.), 222, 689 and on microfiche

Baryon concentration in string wakes at z≥200: implications for galaxy formation and large-scale structure (Rees, M.J.), 222, 27P

#### Planets

The origin of the Tharsis region of Mars (Connell, A.J.), 222, 569

### Polarization of starlight

Polarization observations of DQ Her stars and other cataclysmic variables (Cropper, M.), 222, 225
Large dust grains in the dark cloud B5 (Bhatt, H.C.), 222, 383

Large polarization in OMC-1 – discovery of a Axon, D.J., Burton, M.G., Gatley, I., Sato, S., ., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D.), 222, 629

Polarimetry of ST LMi(CW1103+254) (Cropper, M.), 222, 853

### Pulsars

Pair creation in radio pulsars: the return-current mode changes and normal-null transitions (Jones, P.B.), 222, 577

#### **Quasars**

Ultraviolet spectra of quasars in the redshift interval 0.3 to 2.0 (Gondhalekar, P.M., O'Brien, P., Wilson, R.), 222, 71

Extended radio emission round core-dominated quasars — constraints on relativistic beaming models (Browne, I.W.A., Perley, R.A.), 222, 149
A remarkable jet in the quasar 0800+608 (Shone, D.L.,

Browne, I.W.A.), 222, 365

A model of the evolution of flat-spectrum radio sources at 5 GHz (Zawiślak-Raczka, J., Kumor-Obryk, B.), 222, 487 A relationship between the X-ray luminosity and redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619

A search for QSOs in the fields of nearby galaxies – II. NGC 55,253,300 and 5364 (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), 222, 787

Erratum: A sample of powerful radio sources for VLBI studies (Cawthome, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), 222, 895

#### Radiative transfer

The cosmic infrared background spectrum (Negroponte, J.), 222, 19

Expanding chromospheres of late G and K supergiants (Mallik, S.V.), 222, 307

### Radio astronomy

Extended radio emission round core-dominated quasars – constraints on relativistic beaming models (Browne, I.W.A., Perley, R.A.), 222, 149

Extended [O III] emission associated with nuclear radio lobes in the Seyfert galaxy NGC 5929 (Whittle, M., Haniff, C.A., Ward, M.J., Meurs, E.J.A., Pedlar, A., Unger, S.W., Axon, D.J., Harrison, B.A.), 222, 189

A remarkable jet in the quasar 0800+608 (Shone, D.L., Browne, I.W.A.), 222, 365

A model of the evolution of flat-spectrum radio sources at 5 GHz (Zawiślak-Raczka, J., Kumor-Obryk, B.), 222, 487

Observations of H<sub>2</sub>O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513

(Whiteoak, J.B., Gardner, F.F.), 222, 513 A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20 (Birkinshaw, M.), 222, 731 and on microfiche The polarization of classical double radio sources (Leahy, J.P., Pooley, G.G., Riley, J.M.), 222,

Erratum: A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), 222, 895

# Solar System

The origin of the Tharsis region of Mars (Connell, A.J.), 222, 569

### Spectroscopy

The variation of interstellar element abundances with hydrogen density (Keenan, F.P., Dufton, P.L., Hibbert, A., Murray, M.J.), 222, 143

Non-LTE calculations of Al III line strengths in early-type stars (Dufton, P.L., Brown, P.J.F., Lennon, D.J., Lynas-Gray, A.E.), 222, 713 and on microfiche

Non-LTE calculations of silicon-line strengths in Btype stars Lennon, D.J., Lynas-Gray, A.E., Brown, P.J.F., Dufton, P.L.), 222, 719 and on microfiche

# Subject index

### Stars - atmospheres of

Ultraviolet and infrared excess emission in Be stars (Goraya, P.S.), 222, 121

The time-dependent collapse of a radiatively cooling corona (King, A.R., Smith, M.D.), 222, 201 Expanding chromospheres of late G and K supergiants

(Mallik, S.V.), 222, 307

Non-LTE calculations of Al III line strengths in early-type stars (Dufton, P.L., Brown, P.J.F., Lennon, D.J., Lynas-Gray, A.E.), 222, 713 and on microfiche

Non-LTE calculations of silicon-line strengths in Btype stars (Lennon, D.J., Lynas-Gray, A.E., Brown, P.J.F., Dufton, P.L.), 222, 719 and on microfiche

#### Stars - binary

Accretion disc inclinations and absolute magnitudes of classical nova remnants (Warner, B.), 222, 11 The triple system DM Persei (Hilditch, R.W., Skillen, I., Carr, D.M., Aikman, G.C.L.), 222, 167

Polarization observations of DQ Her stars and other cataclysmic variables (Cropper, M.), 222, 225

Doppler-shifted X-ray line emission from SS433 (Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R.), 222, 261

Evidence for culsation in the hydrogen-deficient binary Upsilon Sagittarii (Malcolm, G.J., Bell, S.A.), 222, 543

Numerical simulation of mass transfer in eccentric orbit binary systems (Boyle, C.B., Walker, I.W.), 222, 559

Observation of an iron K X-ray line from SS433 (Matsuoka, M., Takano, S., Makishima, K.),222, 605

An estimate of the system parameters in the dwarf nova IP Peg (Wood, J., Crawford, C.S.), 222, 645

An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871

Detection of the secondary star in three AM Her systems (Mukai, K., Charles, P.A.), 222, 1P

The orbtal period of the optical/X-ray burster X1735-444 (V926 Sco) (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Menzies, J.W., Naylor, T. Smale, A.P.), 222, 15p

A search for X-ray periodicities from 4U 1700-37 (Gottwald, M., White, N.E., Stella, L.), 222, 21p

#### Stars - clusters of

Optical and UV spectroscopy of blue horizntal branch stars in the globular cluster NGC 6752 (Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R., Cannon, R.D., Hill, P.W., Boksenberg, A.), 222, 55

#### Stars - magnetic fields in

Polarization observations of DQ Her stars and other cataclysmic variables (Cropper, M.), 222, 225

Polarimetry of ST LMi(CW1103+254) (Cropper, M.), 222, 853

Detection of the secondary star in three AM Her systems (Mukai, K., Charles, P.A.), 222, 1P

#### Stars - mass loss from

Emission-line widths and stellar-wind flows in T Tauri stars (Sá, C., Penston, M.V., Lago, M.T.V.T.), 222, 213

Doppler-shifted X-ray line emission from SS433 (Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R.), 222, 261

Models for IRAS observations of circumstellar dust shells around late-type stars (Rowan-Robinson, M., Lock, T.D., Walker, D.W., Harris, S.), 222, 273

Expanding chromospheres of late G and K supergiants (Mallik, S.V.), 222, 307

Grain size and geometrical effects in the Eta Carinae dust shell (Mitchell, R.M., Robinson, G.), 222, 347

IRAS observations of R Cor Bor stars (Rao, N.K., Nandy, K.), 222, 357

Numerical simulation of mass transfer in eccentric orbit binary systems (Boyle, C.B., Walker, I.W.), 222, 559

Expanding shells in the filamentary edge of the young supernova remnant RCW 103 (Meaburn, J., Allan, P.M.), 222, 593

Observation of an iron KX-ray line from SS433 (Matsuoka, M., Takano, S., Makishima, K.), 222, 605

The ultraviolet spectrum and interstellar environment of HD 50896 (Howarth, I.D., Phillips, A.P.), 222, 809

# Stars - photometry of

JHKL observations of IRAS sources – III. The galactic bulge (Whitelock, P., Feast, M., Catchpole, R.), 222, 1

Accretion disc inclinations and absolute magnitudes of classical nova remnants (Warner, B.), 222, 11 The triple system DM Persei (Hilditch, R.W., Skillen,

I., Carr, D.M., Aikman, G.C.L.), 222, 167 Cepheid radii and masses from the surface-brightness method (Gieren, W.P.), 222, 251

IRAS observations of R Cor Bor stars (Rao, N.K., Nandy, K.), 222, 357

Four-colour observations of primary and secondary uvby standards (Kilkenny, D., Menzies, J.W.), 222, 373

Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds (Laney, C.D., Stobie, R.S.), 222, 449

Variable stars in the South Galactic Cap (Stobie, R.S., Bishop, I.S., King, D.L.), 222, 473

Evidence for pulsation in the hydrogen-deficient binary Upsilon Sagittarii (Malcolm, G.J., Bell, S.A.), 222, 543

An estimate of the system parameters in the dwarf nova IP Peg (Wood, J., Crawford, C.S.), 222, 645

- The variation of the 5200 feature in HD 34452 (Shylaja, B.S., Babu, G.S.D.), 222, 683 and on microfiche
- Polarimetry of ST LMi (CW1103+254) (Cropper, M.), 222, 853
- An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871
- Detection of the secondary star in three AM Her systems (Mukai, K., Charles, P.A.), 222, 1P
- The orbital period of the optical/X-ray burster X1735 444 (V926 Sco) (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Menzies, J.W., Naylor, T. Smale, A.P.), 222, 15p

### Stars - spectroscopy of

- Optical and UV spectroscopy of blue horizontal branch stars in the globular cluster NGC 6752 (Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R., Cannon, R.D., Hill, P.W., Boksenberg, A.), 222, 55
- Ultraviolet and infrared excess emission in Be stars (Goraya, P.S.), 222, 121
- The triple system DM Persei (Hilditch, R.W., Skillen, I., Carr, D.M., Aikman, G.C.L.), 222, 167
- Emission-line widths and stellar-wind flows in T Tauri stars (Sá, C., Penston, M.V., Lago, M.T.V.T.), 222, 213
- Expanding chromospheres of late G and K supergiants (Mallik, S.V.), 222, 307
- Non-LTE calculations of Al III line strengths in early-type stars (Dufton, P.L., Brown, P.J.F., Lennon, D.J., Lynas-Gray, A.E.), 222, 713 and on microfiche
- Non-LTE calculations of silicon-line strengths in Btype stars (Lennon, D.J., Lynas-Gray, A.E., Brown, P.J.F., Dufton, P.L.), 222, 719 and on microfiche
- The ultraviolet spectrum and interstellar environment of HD 50896 (Howarth, I.D., Phillips, A.P.), 222, 809

# Stars - structure and evolution of

Erratum: A further uncertainty in the mixing length theory of convection in the structure of late-type stars (Tayler, R.J.), 222, 223

# Stars - variable

- JHKL observations of IRAS sources III. The galactic bulge (Whitelock, P., Feast, M., Catchpole, R.), 222, 1
- Emission-line widths and stellar-wind flows in T Tauri stars (Sá, C., Penston, M.V., Lago, M.T.V.T.), 222, 213
- Polarization observations of DQ Her stars and other cataclysmic variables (Cropper, M.), 222, 225
- Cepheid radii and masses from the surface-brightness method (Gieren, W.P.), 222, 251

- g-modes of non-radially pulsating relativistic stars: the slow-motion formalism (Finn, L.S.), 222, 303
- Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds (Laney, C.D., Stobie, R.S.). 222, 449
- Variable stars in the South Galactic Cap (Stobie, R.S., Bishop, I.S., King, D.L.), 222, 473
- Evidence for pulsation in the hydrogen-deficient binary Upsilon Sagittarii (Malcolm, G.J., Bell, S.A.), 222, 543
- Observation of an iron K X-ray line from SS433 (Matsuoka, M., Takano, S., Makishima, K.), 222, 605
- An estimate of the system parameters in the dwarf nova IP Peg (Wood, J., Crawford, C.S.),222, 645 The variation of the 5200 feature in HD 34452 (Shylaja, B.S., Babu, G.S.D.),222, 683 and on
- microfiche
  Polarimetry of ST LMi(CW1103+254) (Cropper, M.),
  222, 853
- An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871
- The orbital period of the optical/X-ray burster
  X1735 444 (V926 Sco) (Corbet, R.H.D., Thorstensen,
  J.R., Charles, P.A., Menzies, J.W., Naylor, T.
  Smale, A.P.), 222, 15P
- A search for X-ray periodicities from 4U 1700-37 (Gottwald, M., White, N.E., Stella, L.), 222, 21p

### Supernovae and supernova remnants

Expanding shells in the filamentary edge of the young supernova remnant RCW 103 (Meaburn, J., Allan, P.M.), 222, 593

# Ultraviolet astronomy

- Optical and UV spectroscopy of blue horizontal branch stars in the globular cluster NGC 6752 (Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R., Cannon, R.D., Hill, P.W., Boksenberg, A.),222, 55
- Ultraviolet spectra of quasars in the redshift interval 0.3 to 2.0 (Gondhalekar, P.M., O'Brien, P., Wilson, R.), 222, 71
- Detection of broad ultraviolet Fe II lines in the spectrum of NGC 106 (Snijders, M.J. Neer, H., Boksenberg, A.), 222, 549
- The ultraviolet spectrum and interstellar environment of HD 50896 (Howarth, I.D., Phillips, A.P.), 222, 809

### X-ray astronomy

The time-dependent collapse of a radiatively cooling corona (King, A.R., Smith, M.D.),222, 201

# Subject index

Doppler-shifted X-ray line emission from SS433 (Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R.), 222, 261

Evolution and clustering of rich clusters (Kaiser, N.), 222, 323

X-ray bursts from GX 17+2: a new approach (Sztajno, M., van Paradijs, J., Lewin, W.H.G., Langmeier, A., Trümper, J., Pietsch, W.), 222, 499
Observation of an iron K X-ray line from SS433

Observation of an iron K X-ray line from SS433 (Matsuoka, M., Takano, S., Makishima, K.), 222, 605

A relationship between the X-ray luminosity and

redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619

The prevalence of cooling flows in early-type galaxies (Thomas, P.A., Fabian, A.C., Arnaud, K.A., Forman, W., Jones, C.), 222, 655

The orbital period of the optical/X-ray burster X1735 - 444 (V926 Sco) (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Menzies, J.W., Naylor, T. Smale, A.P.), 222, 15p

A search for X-ray periodicities from 4U 1700-37 (Gottwald, M., White, N.E., Stella, L.), 222,

